

N660

PROFILE

N660 All-in-One thin client is the perfect replacement of PC plus monitor solution adopting high performance Intel i3/i5 processor, big 18.5" LCD screen and elegant design.

FEATURES

- **Professional operating system**
Secure and reliable, simple and easy to use.
- **VDI Support**
Support Citrix, VMware and Microsoft virtualization solutions and offer smooth user experience.
- **Leading the All-in-One Trend**
With the compact and stylish appearance, greatly saves users' space.
- **Varied Peripherals**
6 USB ports, compatible with major peripherals.



Connectivity



1 2 3 4 5 6 7



8
8
8
8
9
10
11
12
13

1. DC 19V input
2. PS/2 Mouse
3. PS/2 Keyboard
4. Parallel Port
5. Serial Port
6. RJ-45
7. USB 3.0 Ports
8. USB 2.0 Ports
9. Line-out
10. Mic-in
11. Brightness Up
12. Brightness Down
13. Power Button

SPECIFICATION

SYSTEM

Processor	Intel i3-4170 Dual core 3.7GHz or Intel i5-4570s Quad core 2.9GHz
Available Operating System	WES 7 / WES 8 / Win 10 IOT
Management	CCCM

MEMORY

RAM (DDR3)	4GB (Max up to 8GB)
Hard Disk	500GB HDD (optional 8GB - 128GB SSD)

DISPLAY

Screen	18.5"
Resolution	1366 x 768, VGA (optional) up to 2560x1600

NETWORK

LAN	x1 (10/100/1000 Base-T Fast Ethernet, RJ-45) x1 optional (10/100/1000 Base-T Fast Ethernet, RJ-45)
WLAN	Optional Mini PCI-E wireless

I/O PERIPHERAL INTERFACE

USB Port	x 6 (side: USB 2.0 x 4, rear: USB 3.0 x 2)
RJ-45	x 1
PS/2 port	x 2
Serial Port	x 1 (extensible to 4 via cable)
Parallel Port	x 1

CAMERA

Camera	Optional, 2-megapixel embedded camera
--------	---------------------------------------

AUDIO

Port	Mic-in x 1, Line-out x 1
------	--------------------------

DIMENSION

Device (including the stand)	485.2mm x 206mm x 385mm
Packaging	574mm x 226mm x 464mm
Net Weight	5.92 kg

POWER

Adapter	Worldwide auto-sensing 100-240V AC, 50/60 Hz, 19V/4.74A DC
Power Consumption	28.12w

MOUNTING

Stand	Vertical feet standard
Security	Standard Kensington anti-theft keyhole

ENVIRONMENT

Cooling	Fan convection
Operation Temperature	0°C to 40°C
Relative Humidity	30% to 90% non-condensing

© 2017 Fujian Centerm Co., LTD. The information contained herein is subject to change without notice. Centerm shall not be liable for technical or editorial errors or omissions contained herein.